FATE OF THE MUTINEERS!

Walt Disney's Pirates of the Caribbean

A new dimension in model kits!

5004

© Walt Disney Productions

Before you begin building, look over the instructions carefully. Following the procedure given, test-fit parts together without cementing. This way you will be more familiar with the location of parts when it becomes time to use cement.

For removing small parts from the "runners" it is best to use a modelers knife, do not attempt to "twist" them off.

The highest quality styrene plastic goes into the making of each MPC model. Only paint and cement made for styrene should be used. Before joining parts, trim off excess plastic or "flash". Be careful not to get cement on exposed areas. To join parts, use cement sparingly. Apply cement to very small parts with a toothpick.

You should have no trouble assemlbing your kit if the instructions are followed properly. The parts are numbered in order of assembly.

mpc

8 ASSEMBLY NOS. 14Q PART NOS.



Locate slide arm to base as shown, do not cement.

1 *Look for painting instructions on back of sheet. These suggestions will help you in the building of your kit.*

Cement stone to slide arm only. Then move back & forth to check operation.

2



3

1

Locate rubber band. Note how it sets on pins in the next assembly.



4



Rubber band should be visible after assembly is completed.

5

Locate body to rubber band & holes as shown. Do not cement in this assembly.

1




7
6Q
7Q
5
6
Do not cement hands together in this assembly.
2
1
15Q
4
16Q
3

7



Locate arm to skeleton's hands. Use a toothpick to apply cement to pin only. Arm should swing freely.

13Q

Locate arm to pin inside of skeleton as shown, do not cement.

8



Slide out rock to operate skeleton as illustrated in these two drawings.

9



1

Paint giant crab & locate near the base.



There are extra bones and skeleton feet in this kit. Location is up to your choice.
These parts are numbered as 26Q.

29S



Paint your medallion color of your choice.



Authentic replica of a gold coin used in the days of piracy.

Paint GOLD

37S

This is your authentic pirate medallion you can paint and assemble one of two ways. Either use the parts shown with a hair pin and wear it on your shirt or wear it around your neck with a chain.

1

NOTE: Hair pin not included in kit.

Paint wall plague base wood, daggers silver with gold handles. Skeleton's face white with a black patch and black hat with white skull & cross bones. Paint background red and the scarf can be painted yellow. Do not paint on underside of plague.

INSTRUCTIONS FOR PAINTING AND/OR SPECIAL EFFECTS

As stated earlier, only Flat paints should be used. The following instructions will help you achieve a professional appearance.

BONE WHITE: *Paint Flat white then wash on thinned Flat yellow with a rag. Shade different areas with colored chalk.*

WEATHERED WOOD: *Paint all wood surfaces/parts with (light earth) brown. Brush in flat black (thinned) to cracks and joints. Rub in colored chalk dust of different shades of brown-yellow-green. Blow off excess dust-seal with dull coat spray.*

IRON: *Mix Flat BLACK and SILVER together in different amounts for different shades.*

WEATHERED CLOTH: *Paint desired color using Flat paint. Age & weather with colored chalk dust. Seal with dull coat.*

AN MPC PRODUCT OF Fundimensions DIVISION OF GENERAL MILLS FUN GROUP, INC.,

MOUNT CLEMENS, MICHIGAN 48043